



PANHANDLE WATER NEWS

Conserving Water For Future Generations

PANHANDLE GROUNDWATER
CONSERVATION DISTRICT

JULY 2024

2024 Panhandle Groundwater Conservation District Scholarship Winners

Since 2002, Panhandle Groundwater Conservation District has awarded \$207,000 in scholarship money to deserving high school seniors in our district (Armstrong, Carson, Donley, Gray, Potter, Roberts, and Wheeler counties). This year, the PGCD Scholarship Committee had a total of 30 applicants. Each student was required to write a 500 to 1,000-word essay on the topic: What can we do to increase awareness and motivate people to prioritize water conservation? The student awarded first place will receive an \$8,000 scholarship. Second place will receive a \$6,000 scholarship, and third place will receive a \$4,000 scholarship. Each of these scholarships will be paid out over four years as long as the selected individuals stay eligible by maintaining a 2.5 GPA.

PGCD 2024 Scholarship Winners



First Place

Ja'Zhana Henderson- McCall

Ja'Zhana graduated from Palo Duro High School in Amarillo, Texas. (Potter County)

She plans to major in the field of Neuroscience. She is currently enrolled at Colgate University in Hamilton, New York.

Receiving an \$8,000 Scholarship



Second Place

Whitney Kennedy

Whitney graduated from Panhandle High School in Panhandle, Texas. (Carson County)

She plans to attend West Texas A&M University in Canyon, Texas, to pursue a degree in Ag Business.

Receiving a \$6,000 Scholarship



Third Place

Gage Whatley

Gage graduated from Groom High School in Groom, Texas. (Carson County)

He plans to attend Clarendon College and enroll in the Ranch and Feedlot Operations Program.

Receiving a \$4,000 Scholarship

PGCD AQUIFER WATER LEVEL MEASUREMENTS

Panhandle Groundwater Conservation District (PGCD) conducts water level measurements on over 750 wells throughout the District annually to determine changes in aquifer conditions.

The measurements taken are used to determine the current water level in the aquifer, quantify the volume of groundwater remaining, monitor long-term trends in water levels, and provide information needed to determine IRS depletion allowances in addition to evaluating the status of the District's adopted desired future conditions.

The maps in this newsletter reflect the changes in water levels from 2023 to 2024 (in feet). The District generated the 2024 maps using differences in water level measurements taken from designated monitoring wells. These water level changes are shown with graduated symbols and colors to give a clearer representation of the data collected.

PGCD Field Technicians conducted water level measurements from November 2023 to March 2024 during the timeframe where irrigation demands are lowest, allowing the District to obtain a more representative static water level. Every effort is made to capture this measurement when levels have recovered or stabilized. Despite our best efforts, sometimes a credible water level cannot be obtained. This may occur because the well is pumping, the casing is inaccessible, the well has collapsed, or the well site is no longer accessible. If a well poses repeated challenges for several years, we may remove or replace it in the monitoring network with a more suitable site.

2024 DATA EXPLANATION


PGCD collects water level data on many wells throughout the District dating back as far as the 1950s. In this edition of the water level decline issue, the District mapped the 1-year difference at individual wells within our Annual Observation Well Network.

The column headings in the charts throughout this newsletter show (from left to right) (1) well number, (2) the initial year measured, (3) the initial depth measurement, (4) the 2023 water level depth, (5) the 2024 water level depth, (6) the initial depth measurement minus the current level depth during the period of record, (7) change in water level from 2023 to 2024 or the 1-year difference. The 1-year difference is the data used to create the maps in this newsletter.

Statistical analysis was conducted on water level measurements to determine any outliers. Through this process the District determined measurements of 12 wells to be removed as outliers and an additional 20 wells to be removed because a credible water level could not be obtained before creating the change in water level maps. Wells in which a credible water level could not be obtained the previous year were also excluded from these water level maps. These wells are noted with a red star and red label text on the maps and tables shown in this publication.

For further explanation or more information, please contact the District at 806-883-2501.

These maps were developed by District Hydrogeologist Ashley Ausbrooks, Professional Geoscientist with additional review by Wade Oliver, Professional Geoscientist.





Wade Oliver



Ashley Ausbrooks

NORTHEAST ARMSTRONG COUNTY OGALLALA AQUIFER 1 - Year Change



Armstrong County - Ogallala Aquifer						
Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	Data Used to Make Maps
		Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference
★ 652920	2024	-174.4		-174.4	0.0	
654752	2003	-225.2	-182.9	-182.9	42.3	0.0
655504	1976	-323.5	-365.1	-365.7	-41.6	-0.6
655511	2000	-340.7	-357.5	-358.6	-17.9	-1.1
655615	1975	-320.5	-367.0	-369.1	-48.6	-2.1
★ 655702	2024	-104.0		-104.0	0.0	
655901	1975	-220.2	-254.4	-254.8	-34.6	-0.4
656404	1982	-327.2	-366.2	-369.3	-42.1	-3.1
656701	2005	-334.7	-367.7	-369.9	-35.2	-2.2
656702	1975	-311.4	-349.7	-350.0	-38.6	-0.3
661101	1958	-154.2	-154.0	-154.5	-0.3	-0.5
661204	2000	-167.0	-163.5	-163.7	3.3	-0.2
661301	1954	-154.9	-155.6	-155.5	-0.6	0.1
661311	1975	-195.8	-201.2	-206.0	-10.2	-4.8
662107	2005	-175.0	-186.0	-186.2	-11.2	-0.2
662201	1975	-185.0	-186.8	-187.0	-2.0	-0.2
662301	1975	-230.0	-284.0	-284.6	-54.6	-0.6

Armstrong County - Ogallala Aquifer						
Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	Data Used to Make Maps
		Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference
662501	1958	-174.9	-181.6	-182.2	-7.3	-0.6
662901	2005	-218.5	-217.9	-218.0	0.5	-0.1
★ 663104	2024	-264.5		-264.5	0.0	
663203	2000	-169.4	-187.1	-189.8	-20.4	-2.7
663204	1975	-156.4	-184.4	-184.7	-28.3	-0.3
663213	2014	-161.8	-169.8	-171.7	-9.9	-1.9
★ 663303	2024	-79.8		-79.8	0.0	
663401	1975	-196.3	-199.5	-200.1	-3.8	-0.6
663601	1983	-94.8	-105.8	-106.9	-12.1	-1.1
663802	1972	-190.0	-211.4	-212.5	-22.5	-1.1
663807	2014	-191.2	-193.7	-195.3	-4.1	-1.6
★ 663811	2024	-217.4		-217.4	0.0	
664404	1975	-112.0	-126.2	-125.7	-13.7	0.5
664701	1955	-114.0	-158.0	-158.8	-44.8	-0.8
664702	1956	-132.4	-164.0	-166.6	-34.2	-2.6
1107301	2022	-38.6	-37.1	-37.9	0.7	-0.8

CARSON COUNTY OGALLALA AQUIFER 1 - YEAR CHANGE

Legend

1 - Year Water Level Change, in feet

▲ 4 to 6

▲ 2 to 4

▲ 0.5 to 2

◆ -0.5 to 0.5

▼ -2 to -0.5

▼ -4 to -2

▼ -6 to -4

▼ -8 to -6

★ Not Used for Mapping

■ Towns

▭ County

▭ PGCD Boundary


— Roads

— Rivers

— Lakes

Aquifer

■ Ogallala



Carson County - Ogallala Aquifer							Carson County - Ogallala Aquifer						
Well Number	First Reading Year	Depth to Water, in feet			Water level Difference	Data Used to Make Maps	Well Number	First Reading Year	Depth to Water, in feet			Water level Difference	Data Used to Make Maps
		Initial Depth	2023	2024					Initial Depth	2023	2024		
628102	1977	-181.7	-217.1	-218.0	-36.3	-0.9	631701	1970	-380.0	-391.8	-392.1	-12.1	-0.3
628402	1977	-187.4	-202.3	-197.5	-10.1	4.8	631702	1981	-269.2	-281.9	-281.7	-12.5	0.2
628601	1958	-48.4	-71.9	-72.4	-24.0	-0.5	631803	2001	-396.1	-395.0	-394.0	2.1	1.0
628701	1977	-238.1	-259.5	-260.2	-22.1	-0.7	631956	2001	-224.9	-227.3	-227.4	-2.5	-0.1
629301	1977	-180.1	-182.8	-182.7	-2.6	0.1	631957	2001	-327.9	-330.4	-331.1	-3.2	-0.7
629601	1982	-53.7	-51.9	-51.9	1.8	0.0	632713	2017	-408.1	-407.9	-407.9	0.2	0.0
629703	2003	-286.6	-293.9	-295.1	-8.5	-1.2	636154	2001	-303.5	-333.0	-332.9	-29.4	0.1
629901	1982	-76.8	-85.0	-84.9	-8.1	0.1	★ 636201	1969	-327.0	-372.8			
630101	2004	-23.8	-31.0	-30.6	-6.8	0.4	636405	2011	-413.0	-436.6	-434.7	-21.7	1.9
630301	1977	-147.6	-153.4	-152.2	-4.6	1.2	636602	1969	-416.0	-515.5	-516.2	-100.2	-0.7
630302	2003	-236.3	-226.7	-227.4	8.9	-0.7	636608	2013	-519.9	-531.8	-537.9	-18.0	-6.1
630401	1977	-233.9	-155.8	-153.1	80.8	2.7	636712	2012	-416.2	-434.2	-437.5	-21.3	-3.3
630402	2003	-121.1	-119.7	-120.9	0.2	-1.2	636828	2014	-544.4	-549.4	-548.0	-3.6	1.4
630901	2003	-333.3	-330.7	-329.8	3.5	0.9	636919	1978	-442.0	-529.7	-531.0	-89.0	-1.3
631203	1977	-295.2	-301.7	-305.6	-10.4	-3.9	636951	2012	-484.8	-495.2	-496.9	-12.1	-1.7
631301	1977	-118.2	-123.9	-124.1	-5.9	-0.2	637301	1981	-250.8	-288.1	-289.2	-38.4	-1.1
631302	1981	-242.0	-249.6	-249.7	-7.7	-0.1	637405	1977	-386.8	-468.2	-469.5	-82.7	-1.3

CARSON COUNTY OGALLALA AQUIFER 1 - YEAR CHANGE

CONTINUED

Carson County - Ogallala Aquifer						
Well Number	First Reading Year	Depth to Water, in feet			Water level Difference	Data Used to Make Maps
		Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference
637458	2002	-416.7	-452.6	-453.8	-37.1	-1.2
637502	2004	-305.6	-329.3	-331.2	-25.6	-1.9
637710	2004	-431.6	-463.7	-467.0	-35.4	-3.3
638601	1956	-306.5	-382.3	-382.5	-76.0	-0.2
638701	1956	-328.3	-442.7	-445.2	-116.9	-2.5
638811	1974	-360.3	-474.6	-480.9	-120.6	-6.3
638820	2015	-446.4	-473.2	-479.7	-33.3	-6.5
638916	1999	-404.6	-458.9	-456.8	-52.2	2.1
639301	1958	-383.4	-399.2	-399.1	-15.7	0.1
639501	1958	-284.4	-386.9	-388.1	-103.7	-1.2
639605	2005	-395.0	-287.3	-284.1	110.9	3.2
639606	2005	-377.7	-356.9	-357.5	20.2	-0.6
639608	2005	-353.9	-366.4	-367.3	-13.4	-0.9
639865	2001	-396.9	-423.5	-423.4	-26.5	0.1
639909	2000	-352.4	-364.6	-364.0	-11.6	0.6
639956	2001	-371.7	-393.5	-395.5	-23.8	-2.0
640406	2016	-399.3	-406.8	-408.0	-8.7	-1.2
640451	2014	-393.8	-400.6	-402.1	-8.3	-1.5
640707	2016	-396.0	-404.8	-405.9	-9.9	-1.1
640710	2020	-354.1	-356.8	-358.1	-4.0	-1.3
644311	1956	-387.0	-527.1	-529.6	-142.6	-2.5
644321	2014	-518.3	-537.8	-541.4	-23.1	-3.6
644325	2015	-494.4	-523.0	-527.7	-33.3	-4.7
644618	2006	-439.7	-473.2	-469.0	-29.3	4.2
644656	2000	-433.0	-449.1	-450.0	-17.0	-0.9
645104	2001	-417.7	-465.1	-465.5	-47.8	-0.4
645201	2013	-436.7	-467.7	-466.6	-29.9	1.1
645212	2023	-459.5	-459.5	-461.6	-2.1	-2.1
645513	2001	-435.1	-473.2	-472.3	-37.2	0.9
645624	2015	-425.9	-440.7	-442.3	-16.4	-1.6
645656	2022	-453.6	-457.8	-460.9	-7.3	-3.1
645701	1956	-337.8	-392.7	-392.7	-54.9	0.0
645804	1994	-323.1	-335.8	-337.3	-14.2	-1.5
646302	1961	-294.5	-393.0	-394.6	-100.1	-1.6


Carson County - Ogallala Aquifer						
Well Number	First Reading Year	Depth to Water, in feet			Water level Difference	Data Used to Make Maps
		Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference
646304	2011	-415.9	-448.4	-456.0	-40.1	-7.6
646412	2010	-405.7	-442.8	-445.8	-40.1	-3.0
646504	2000	-387.2	-409.5	-412.1	-24.9	-2.6
646552	2000	-354.7	-379.1	-382.0	-27.3	-2.9
646601	1956	-295.2	-385.3	-384.6	-89.4	0.7
646701	1956	-325.9	-376.0	-377.3	-51.4	-1.3
646757	2003	-375.4	-408.8	-411.1	-35.7	-2.3
646805	2021	-410.1	-415.8	-416.8	-6.7	-1.0
646826	2016	-391.8	-414.2	-417.2	-25.4	-3.0
646828	2018	-384.8	-406.0	-408.9	-24.1	-2.9
646904	2000	-360.5	-379.3	-382.2	-21.7	-2.9
647205	1956	-297.0	-384.0	-384.7	-87.7	-0.7
647308	1969	-296.5	-298.4	-297.2	-0.7	1.2
647456	2018	-350.9	-357.9	-359.4	-8.5	-1.5
647554	2002	-318.4	-317.9	-319.0	-0.6	-1.1
647604	1980	-286.4	-332.9	-335.7	-49.3	-2.8
647806	2002	-352.1	-387.6	-390.7	-38.6	-3.1
648103	2016	-317.4	-319.0	-319.5	-2.1	-0.5
652101	1982	-194.6	-192.5	-192.1	2.5	0.4
652229	2017	-214.8	-215.2	-214.5	0.3	0.7
654605	2018	-387.6	-396.0	-397.5	-9.9	-1.5
655113	1999	-369.5	-407.2	-409.6	-40.1	-2.4
655156	2002	-371.2	-406.7	-407.2	-36.0	-0.5
656108	1968	-370.0	-320.7	-323.6	46.4	-2.9

Groudwater Fun Fact

More than 90 percent of the groundwater pumped from the Ogallala, the nation's largest aquifer underlying some 250,000 square miles stretching from Texas to South Dakota, is used for agricultural irrigation. Representing about one-third of all U.S. irrigated agriculture, it creates about \$20 billion annually in food and fiber.

DONLEY COUNTY

OGALLALA AQUIFER 1 - YEAR CHANGE




Donley County - Ogallala Aquifer						
Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	Data Used to Make Maps
		Initial Depth	2023	2024		
549505	2018	-340.2	-352.6	-354.9	-14.7	-2.3
549952	2010	-249.4	-256.4	-257.3	-7.9	-0.9
550701	1976	-113.9	-112.4	-112.7	1.2	-0.3
550801	2001	-85.8	-105.6	-106.5	-20.7	-0.9
550903	1977	-120.0	-103.3	-101.5	18.5	1.8
551715	1976	-133.5	-114.7	-114.9	18.6	-0.2
551801	1976	-95.7	-96.3	-96.6	-0.9	-0.3
552851	2001	-120.4	-125.6	-126.5	-6.1	-0.9
557512	1999	-38.7	-43.6	-44.0	-5.3	-0.4
557515	2018	-71.2	-71.9	-72.6	-1.4	-0.7
557651	2017	-90.7	-92.3	-92.3	-1.6	0.0
557803	1976	-89.1	-91.3	-91.7	-2.6	-0.4
558101	2002	-107.0	-111.4	-112.3	-5.3	-0.9
558303	1977	-44.6	-47.9	-47.2	-2.6	0.7
559401	2022	-113.6	-113.7	-113.9	-0.3	-0.2
656506	1999	-274.0	-357.2	-353.7	-79.7	3.5
656910	2017	-330.2	-339.5	-341.7	-11.5	-2.2

Donley County - Ogallala Aquifer						
Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	Data Used to Make Maps
		Initial Depth	2023	2024		
664501	1958	-109.3	-133.2	-134.9	-25.6	-1.7
★ 664811	1971	-95.0				
664951	2000	-62.8	-76.9	-77.3	-14.5	-0.4
1108101	1999	-96.5	-107.7	-108.4	-11.9	-0.7
1108201	1958	-106.5	-143.2	-144.5	-38.0	-1.3
1108203	1977	-36.3	-63.5	-64.1	-27.8	-0.6
1108308	1955	-54.5	-91.7	-92.9	-38.4	-1.2
★ 1108309	2001	-70.5	-100.5			
1108312	2000	-68.6	-101.4	-102.6	-34.0	-1.2
1201102	1958	-31.4	-47.4	-47.7	-16.3	-0.3
1201105	2017	-86.8	-94.8	-96.1	-9.3	-1.3
1201107	2004	-46.5	-57.3	-57.8	-11.3	-0.5
1201206	1968	-79.1	-81.8	-83.5	-4.4	-1.7
1201209	2010	-44.2	-56.0	-57.1	-12.9	-1.1
1201306	1976	-51.6	-83.1	-85.0	-33.4	-1.9
1201323	2010	-124.1	-149.8	-150.9	-26.8	-1.1
1201408	2017	-100.5	-104.0	-104.6	-4.1	-0.6

DONLEY COUNTY

OGALLALA AQUIFER 1 - YEAR CHANGE CONTINUED

Donley County - Ogallala Aquifer							Donley County - Ogallala Aquifer						
Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	Data Used to Make Maps	Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	Data Used to Make Maps
		Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference			Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference
1201502	1968	-162.6	-136.2	-136.9	25.7	-0.7	1202621	2010	-52.7	-75.9	-77.8	-25.1	-1.9
1201526	2010	-103.2	-108.3	-108.8	-5.6	-0.5	1202628	2010	-49.5	-67.7	-69.4	-19.9	-1.7
1201617	1980	-129.5	-122.2	-123.1	6.4	-0.9	★ 1202653	2010	-99.0		-101.3	-2.3	
1201624	1977	-112.2	-112.8	-114.1	-1.9	-1.3	1202812	1977	-18.8	-48.9	-51.1	-32.3	-2.2
1201655	2001	-55.0	-71.2	-72.7	-17.7	-1.5	1202813	2010	-81.9	-89.6	-89.9	-8.0	-0.3
1201809	2015	-218.5	-213.7	-214.1	4.4	-0.4	1202905	2010	-68.6	-85.6	-88.0	-19.4	-2.4
1201904	1980	-152.4	-151.9	-152.5	-0.1	-0.6	1202907	2000	-12.0	-23.0	-23.9	-11.9	-0.9
1202109	2010	-96.0	-107.9	-109.0	-13.0	-1.1	1202931	1977	-39.0	-50.2	-51.2	-12.2	-1.0
1202111	2015	-115.4	-126.9	-122.7	-7.3	4.2	1202951	2007	-15.1	-31.5	-32.8	-17.7	-1.3
1202306	1977	-49.2	-57.9	-61.3	-12.1	-3.4	1202959	2013	-60.5	-75.0	-77.1	-16.6	-2.1
1202421	2010	-26.2	-43.1	-45.5	-19.3	-2.4	1203207	1976	-77.1	-85.3	-85.7	-8.6	-0.4
★ 1202513	2010	-71.4		-106.8	-35.4		1203405	2000	-62.9	-91.4	-93.3	-30.4	-1.9
1202523	2010	-84.4	-104.5	-106.0	-21.6	-1.5	★ 1203422	2010	-39.8		-52.1	-12.3	
1202529	2010	-75.5	-105.3	-107.3	-31.8	-2.0	1203423	2010	-89.6	-111.8	-112.2	-22.6	-0.4
1202531	2010	-59.4	-93.5	-97.5	-38.1	-4.0	1203512	2010	-111.0	-114.0	-114.7	-3.7	-0.7
1202534	2012	-65.8	-87.5	-90.1	-24.3	-2.6	1203550	2010	-93.1	-91.4	-92.7	0.4	-1.3
1202619	2010	-75.2	-98.1	-100.8	-25.6	-2.7	1203551	2010	-112.8	-116.0	-116.8	-4.0	-0.8



DONLEY COUNTY DATA CONTINUES ON NEXT PAGE


DONLEY COUNTY

OGALLALA AQUIFER 1 - YEAR CHANGE CONTINUED

Donley County - Ogallala Aquifer							Donley County - Ogallala Aquifer						
Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	Data Used to Make Maps	Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	Data Used to Make Maps
		Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference			Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference
1203601	1968	-103.7	-106.7	-103.7	0.0	3.0	1210310	2000	-19.8	-40.8	-41.6	-21.8	-0.8
1203602	2010	-111.8	-123.3	-125.0	-13.2	-1.7	1210327	2015	-47.0	-51.7	-53.1	-6.1	-1.4
1203629	2018	-95.8	-101.6	-102.8	-7.0	-1.2	1210401	1958	-111.6	-114.4	-114.8	-3.2	-0.4
1203734	2009	-34.9	-35.9	-39.0	-4.1	-3.1	1210513	2004	-116.2	-119.0	-119.3	-3.1	-0.3
1203739	2015	-27.1	-29.9	-30.5	-3.4	-0.6	1210651	2011	-67.8	-68.1	-67.7	0.1	0.4
1203807	2017	-125.3	-130.3	-131.5	-6.2	-1.2	1211128	2021	-131.2	-134.5	-135.8	-4.6	-1.3
1203809	2009	-55.3	-66.1	-66.1	-10.8	0.0	1211129	2009	-167.7	-170.1	-171.8	-4.1	-1.7
★ 1203812	2012	-81.7	-92.5	-75.3	6.4	17.2	1211131	2009	-76.2	-84.8	-85.4	-9.2	-0.6
1203820	2010	-70.5	-79.8	-81.2	-10.7	-1.4	★ 1211137	2017	-113.1	-116.5			
1203909	2010	-83.8	-103.1	-104.1	-20.3	-1.0	1211207	1961	-82.4	-118.6	-121.0	-38.6	-2.4
★ 1203911	2006	-45.1					1211217	2017	-143.7	-146.9	-147.7	-4.0	-0.8
1203914	2010	-96.6	-111.6	-114.6	-18.0	-3.0	1211310	1976	-85.0	-80.7	-87.5	-2.5	-6.8
1203920	2014	-51.9	-58.7	-58.9	-7.0	-0.2	1211312	2010	-57.4	-69.8	-72.5	-15.1	-2.7
1204423	2017	-125.6	-133.1	-135.3	-9.7	-2.2	1211320	2009	-83.1	-94.5	-96.9	-13.8	-2.4
★ 1204452	2009	-127.4		-151.0	-23.6		1211327	2010	-119.0	-130.6	-133.7	-14.7	-3.1
1204711	2009	-45.0	-40.0	-41.2	3.8	-1.2	1211353	1997	-104.1	-114.1	-115.5	-11.4	-1.4
1204805	1982	-42.2	-41.3	-43.4	-1.2	-2.1	1211404	1976	-191.1	-201.3	-202.6	-11.5	-1.3
1209102	2001	-99.7	-102.4	-102.2	-2.5	0.2	1211607	2009	-133.3	-137.4	-137.8	-4.5	-0.4
1209304	1976	-22.7	-28.7	-29.7	-7.0	-1.0	1212111	2009	-59.5	-65.5	-67.2	-7.7	-1.7
1210121	2006	-129.3	-138.1	-138.9	-9.6	-0.8	1212112	2007	-85.2	-90.1	-90.2	-5.0	-0.1
1210218	1976	-67.9	-68.9	-69.5	-1.6	-0.6	1212118	2009	-72.9	-93.3	-94.1	-21.2	-0.8
1210301	2000	-9.2	-27.4	-27.5	-18.3	-0.1	1212152	2009	-94.5	-104.7	-105.7	-11.2	-1.0
1210305	1976	-31.5	-51.1	-51.0	-19.5	0.1	1212202	1976	-89.8	-87.8	-88.0	1.8	-0.2


Rainfall Measurements

January-June 2024



GRAY COUNTY

OGALLALA AQUIFER 1 - YEAR CHANGE



Gray County - Ogallala Aquifer						
Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	Data Used to Make Maps
		Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference
525102	2014	-393.7	-393.8	-394.2	-0.5	-0.4
★ 525502	1969	-352.1		-356.6	-4.5	
525601	2002	-369.0	-374.1	-375.1	-6.1	-1.0
525843	2014	-377.8	-380.4	-381.1	-3.3	-0.7
525904	1958	-347.9	-372.6	-373.4	-25.5	-0.8
526102	2006	-370.0	-361.4	-362.0	8.0	-0.6
★ 526205	2024	-361.7		-361.7	0.0	
526424	2019	-380.9	-382.6	-383.3	-2.4	-0.7
★ 526501	1957	-360.0	-369.5	-355.9	4.1	13.6
526506	2010	-366.1	-376.4	-378.5	-12.4	-2.1
526615	2015	-370.7	-384.9	-386.3	-15.6	-1.4
526802	1999	-355.2	-361.6	-362.3	-7.1	-0.7
527102	1961	-343.1	-373.7	-374.9	-31.8	-1.2
527152	2009	-344.3	-354.0	-355.1	-10.8	-1.1
★ 527301	2024	-345.1		-345.1	0.0	
★ 527408	2024	-385.9		-385.9	0.0	
527501	1980	-346.1	-359.1	-360.1	-14.0	-1.0

Gray County - Ogallala Aquifer						
Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	Data Used to Make Maps
		Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference
★ 527602	1975	-324.0	-339.3			
527703	1980	-360.2	-380.8	-382.1	-21.9	-1.3
527801	1968	-117.0	-137.1	-138.8	-21.8	-1.7
527802	1975	-342.0	-347.7	-349.6	-7.6	-1.9
527901	1958	-331.5	-343.4	-344.0	-12.5	-0.6
528203	1994	-340.6	-345.2	-345.4	-4.8	-0.2
528214	2012	-348.2	-351.4	-351.4	-3.2	0.0
★ 528401	1958	-321.4	-337.8			
528501	1974	-297.0	-287.4	-288.3	8.7	-0.9
528701	2014	-112.5	-114.3	-114.7	-2.2	-0.4
★ 533205	2024	-342.2		-342.2	0.0	
533401	1958	-324.8	-350.8	-351.3	-26.5	-0.5
533604	1999	-76.7	-79.2	-79.0	-2.3	0.2
533802	1971	-210.0	-212.3	-212.4	-2.4	-0.1
533805	2010	-342.9	-344.9	-343.8	-0.9	1.1
534101	1966	-150.0	-144.2	-144.6	5.4	-0.4
534204	1965	-180.0	-196.7	-196.8	-16.8	-0.1


GRAY COUNTY DATA CONTINUES ON NEXT PAGE

GRAY COUNTY

OGALLALA AQUIFER 1 - YEAR CHANGE CONTINUED

Gray County - Ogallala Aquifer							Gray County - Ogallala Aquifer						
Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	Data Used to Make Maps	Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	Data Used to Make Maps
		Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference			Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference
534451	2002	-108.8	-112.4	-112.3	-3.5	0.1	544150	2022	-38.1	-38.8	-39.6	-1.5	-0.8
534507	1977	-33.2	-35.6	-35.2	-2.0	0.4	544401	1968	-64.0	-68.9	-70.6	-6.6	-1.7
534520	2016	-54.7	-76.9	-77.1	-22.4	-0.2	544610	1967	-178.0	-187.8	-189.6	-11.6	-1.8
534606	1977	-74.0	-75.6	-75.8	-1.8	-0.2	544705	1977	-66.0	-66.7	-68.1	-2.1	-1.4
534703	1962	-85.0	-77.6	-78.1	6.9	-0.5	544714	2006	-109.8	-117.1	-119.8	-10.0	-2.7
534902	1977	-73.0	-71.8	-73.5	-0.5	-1.7	544801	1968	-116.1	-115.3	-116.8	-0.7	-1.5
535201	1968	-109.9	-123.3	-123.0	-13.1	0.3	549302	2005	-214.0	-197.8	-198.1	15.9	-0.3
535302	1969	-14.0	-17.3	-18.2	-4.2	-0.9	★549651	2024					
535403	1968	-120.0	-127.3	-127.8	-7.8	-0.5	550202	1977	-25.7	-23.7	-23.9	1.8	-0.2
535503	1978	-77.0	-76.8	-77.6	-0.6	-0.8	550203	1977	-58.4	-57.7	-59.9	-1.5	-2.2
535603	1977	-77.0	-77.6	-82.9	-5.9	-5.3	550204	1978	-55.1	-53.1	-49.9	5.2	3.2
535802	1968	-116.2	-120.7	-120.9	-4.7	-0.2	551101	1968	-216.0	-217.6	-218.2	-2.2	-0.6
536102	1979	-163.0	-168.7	-168.9	-5.9	-0.2	551103	1991	-138.7	-139.7	-140.8	-2.1	-1.1
536201	1968	-143.2	-153.8	-155.9	-12.7	-2.1	551202	1977	-193.9	-195.9	-197.2	-3.3	-1.3
536402	1978	-9.3	-8.7	-9.0	0.3	-0.3	★551203	1977	-153.2	-158.9			
536705	1978	-5.5	-6.9	-7.0	-1.5	-0.1	★551303	1968	-110.7	-113.5			
541101	1958	-339.6	-377.2	-376.7	-37.1	0.5	551304	1978	-76.4	-80.1	-80.6	-4.2	-0.5
541354	2012	-354.8	-362.2	-363.2	-8.4	-1.0	★551507	2024	-167.2		-167.2	0.0	
541402	2015	-318.8	-320.7	-321.1	-2.3	-0.4	552111	1977	-112.6	-111.9	-112.9	-0.3	-1.0
541403	1981	-290.4	-298.1	-298.8	-8.4	-0.7	552308	1967	-107.0	-106.3	-108.4	-1.4	-2.1
★541501	2024	-303.9		-303.9	0.0		552452	2001	-105.7	-114.2	-115.0	-9.3	-0.8
541703	2019	-260.6	-261.8	-262.2	-1.6	-0.4	552603	1967	-21.0	-21.7	-27.1	-6.1	-5.4
★541801	2024	-285.5		-285.5	0.0		632606	1980	-378.8	-368.9	-369.4	9.4	-0.5
541805	2018	-269.8	-267.6	-267.3	2.5	0.3	★632803	1967	-375.0	-395.8	-385.9	-10.9	9.9
542101	1968	-252.2	-264.3	-265.8	-13.6	-1.5	632820	2015	-369.2	-370.2	-370.6	-1.4	-0.4
542201	1968	-127.7	-132.9	-138.5	-10.8	-5.6	640205	1982	-384.3	-389.8	-389.9	-5.6	-0.1
542202	1977	-257.6	-263.3	-263.9	-6.3	-0.6	640306	1980	-389.4	-391.0	-390.5	-1.1	0.5
542301	1968	-136.4	-140.9	-140.9	-4.5	0.0	640501	1980	-362.7	-380.2	-380.5	-17.8	-0.3
542401	1968	-193.9	-203.4	-204.2	-10.3	-0.8	640802	1968	-326.5	-376.9	-381.9	-55.4	-5.0
542702	1978	-144.7	-145.9	-147.7	-3.0	-1.8	648205	2014	-378.8	-383.3	-384.0	-5.2	-0.7
542801	1968	-76.6	-82.3	-82.9	-6.3	-0.6	648253	1974	-340.0	-362.8	-363.2	-23.2	-0.4
543202	1978	-111.4	-113.2	-113.2	-1.8	0.0	★648603	2024	-304.6		-304.6	0.0	
★543652	2024	-28.9		-28.9	0.0		648804	2013	-289.8	-293.8	-293.9	-4.1	-0.1
543703	1968	-15.3	-16.8	-16.2	-0.9	0.6	★656205	2024	-297.4		-297.4	0.0	
543705	1967	-105.0	-107.7	-108.2	-3.2	-0.5	656306	1980	-273.6	-294.8	-296.8	-23.2	-2.0
544102	1977	-140.7	-142.4	-142.8	-2.1	-0.4	656526	2013	-304.4	-321.1	-322.3	-17.9	-1.2

HUTCHINSON & ROBERTS COUNTY OGALLALA AQUIFER 1 - YEAR CHANGE



Hutchinson County - Ogallala Aquifer						
Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	Data Used to Make Maps
		Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference
615301	1999	-131.2	-116.5	-116.8	14.4	-0.3
615804	1999	-111.4	-111.9	-112.9	-1.5	-1.0
615901	1999	-73.3	-77.1	-76.0	-2.7	1.1
615902	2004	-25.7	-25.5	-26.1	-0.4	-0.6
616401	2001	-294.6	-291.9	-296.3	-1.7	-4.4
616404	1999	-101.8	-102.3	-103.8	-2.0	-1.5
616702	2003	-236.7	-248.2	-248.6	-11.9	-0.4
623206	2016	-197.1	-198.1	-198.8	-1.7	-0.7
623303	2003	-103.8	-98.6	-98.6	5.2	0.0
623304	2004	-190.8	-191.9	-191.8	-1.0	0.1

Roberts County - Ogallala Aquifer						
Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	Data Used to Make Maps
		Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference
364502	1977	-412.0	-463.4	-463.5	-51.5	-0.1
364904	2000	-108.6	-121.6	-123.6	-15.0	-2.0
457603	2006	-401.6	-415.3	-417.8	-16.2	-2.5
457701	2003	-21.8	-31.2	-29.8	-8.0	1.4
457810	2000	-253.4	-262.1	-263.0	-9.6	-0.9
458405	2000	-337.8	-348.4	-350.0	-12.2	-1.6
458701	1981	-76.1	-95.9	-98.0	-21.9	-2.1
458902	2004	-117.0	-121.1	-121.7	-4.7	-0.6
459650	2000	-275.8	-269.7	-269.5	6.3	0.2
459701	1980	-48.4	-56.1	-57.4	-9.0	-1.3
459902	1999	-46.6	-48.1	-48.2	-1.6	-0.1
459903	1999	-39.7	-42.6	-42.0	-2.3	0.6
460701	1996	-96.9	-98.3	-98.5	-1.6	-0.2
460801	1982	-189.2	-186.6	-186.3	2.9	0.3
★ 501304	2024	-41.2		-41.2	0.0	
★ 501401	1980	-49.2	-56.4			
501601	2008	-84.0	-84.9	-85.9	-1.9	-1.0

ROBERTS COUNTY DATA CONTINUES ON NEXT PAGE



ROBERTS COUNTY

OGALLALA AQUIFER 1 - YEAR CHANGE CONTINUED

Roberts County - Ogallala Aquifer							Roberts County - Ogallala Aquifer						
Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	Data Used to Make Maps	Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	Data Used to Make Maps
		Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference			Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference
501801	1969	-240.0	-245.7	-243.6	-3.6	2.1	512132	2019	-329.6	-330.1	-330.4	-0.8	-0.3
501902	1998	-188.6	-210.4	-213.4	-24.8	-3.0	517203	1999	-319.9	-339.5	-339.6	-19.7	-0.1
501950	2003	-127.6	-133.9	-133.5	-5.9	0.4	517207	2012	-195.9	-209.1	-209.8	-13.9	-0.7
502202	1983	-70.8	-71.9	-71.9	-1.1	0.0	517307	2010	-120.7	-146.7	-148.7	-28.0	-2.0
502204	2007	-18.4	-14.2	-13.3	5.1	0.9	517350	2002	-340.0	-362.4	-363.9	-23.9	-1.5
502301	1999	-58.3	-61.3	-61.0	-2.7	0.3	517452	2002	-355.2	-365.5	-368.3	-13.1	-2.8
502502	1975	-112.0	-108.3	-109.0	3.0	-0.7	517812	2017	-402.1	-404.4	-405.6	-3.5	-1.2
502550	2000	-101.1	-102.7	-102.9	-1.8	-0.2	517852	2001	-405.7	-412.1	-412.7	-7.0	-0.6
502702	1981	-54.8	-60.7	-61.5	-6.7	-0.8	517901	1996	-390.3	-400.2	-403.0	-12.7	-2.8
502801	1974	-11.0	-8.7	-8.7	2.3	0.0	518206	2010	-391.9	-457.1	-461.3	-69.4	-4.2
502910	2012	-166.9	-168.8	-169.6	-2.7	-0.8	518250	2002	-332.6	-486.2	-482.7	-150.1	3.5
503401	1970	-95.0	-101.0	-100.7	-5.7	0.3	518702	1975	-387.3	-397.3	-400.8	-13.5	-3.5
503502	1999	-29.5	-33.1	-33.7	-4.2	-0.6	518704	1996	-381.2	-390.2	-391.8	-10.6	-1.6
503601	1981	-85.0	-87.1	-87.4	-2.4	-0.3	518807	2010	-372.3	-384.8	-386.8	-14.5	-2.0
503701	1975	-85.4	-87.7	-88.5	-3.1	-0.8	519103	2012	-424.6	-420.9	-418.6	6.0	2.3
503709	2005	-276.3	-280.0	-279.7	-3.4	0.3	519202	1998	-362.0	-388.2	-390.4	-28.4	-2.2
503931	2011	-50.3	-52.8	-52.4	-2.1	0.4	519411	2014	-364.0	-369.6	-368.0	-4.0	1.6
504401	1976	-99.1	-101.1	-101.1	-2.0	0.0	519507	2018	-296.4	-295.6	-297.1	-0.7	-1.5
504402	1996	-167.0	-168.8	-169.4	-2.4	-0.6	519702	1972	-294.0	-267.1	-268.8	25.2	-1.7
504502	1977	-116.7	-116.9	-117.6	-0.9	-0.7	520104	1976	-150.0	-151.3	-154.6	-4.6	-3.3
504801	1982	-221.8	-162.8	-159.6	62.2	3.2	520113	2009	-65.5	-75.4	-76.1	-10.6	-0.7
509103	2015	-51.0	-58.5	-59.3	-8.3	-0.8	520203	1977	-112.2	-113.7	-113.7	-1.5	0.0
509202	1996	-241.3	-273.1	-271.6	-30.3	1.5	★ 520402	1970	-302.0	-298.9	-289.7	12.3	9.2
509503	2002	-249.4	-288.9	-290.9	-41.5	-2.0	520750	2000	-291.1	-294.6	-295.4	-4.3	-0.8
509552	2002	-78.9	-136.9	-142.8	-63.9	-5.9	520802	1981	-245.2	-246.8	-246.8	-1.6	0.0
509603	1980	-181.3	-221.7	-228.3	-47.0	-6.6	520803	2011	-327.8	-327.8	-328.2	-0.4	-0.4
509605	2004	-231.3	-262.7	-268.2	-36.9	-5.5	520808	2012	-315.3	-316.6	-316.8	-1.5	-0.2
509750	1999	-283.5	-497.2	-497.5	-214.0	-0.3	608201	1982	-160.3	-183.6	-183.1	-22.8	0.5
509805	1999	-302.2	-334.3	-336.0	-33.8	-1.7	608304	2009	-79.8	-88.1	-88.5	-8.7	-0.4
510401	1976	-166.1	-173.6	-177.8	-11.7	-4.2	608501	1982	-56.7	-67.9	-69.2	-12.5	-1.3
510402	2004	-250.1	-296.5	-298.9	-48.8	-2.4	616201	2003	-144.5	-149.1	-149.5	-5.0	-0.4
★ 510701	2004	-273.5	-372.7	-380.9	-107.4	-8.2	616301	1975	-198.0	-190.7	-191.5	6.5	-0.8
510817	2012	-186.6	-205.7	-210.2	-23.6	-4.5	616352	2003	-179.8	-190.9	-191.5	-11.7	-0.6
510952	2001	-345.4	-416.1	-417.9	-72.5	-1.8	616601	1999	-215.9	-290.2	-292.6	-76.7	-2.4
★ 510953	2001	-184.7		-268.3	-83.6		616801	1977	-212.6	-231.7	-234.3	-21.7	-2.6
511101	1977	-281.6	-295.2	-296.9	-15.3	-1.7	616904	1998	-224.3	-333.7	-339.1	-114.8	-5.4
511201	1977	-292.2	-296.2	-295.8	-3.6	0.4	★ 624211	2024	-299.0		-299.0	0.0	
511401	1976	-344.1	-328.1	-330.8	13.3	-2.7	624304	1999	-279.3	-317.7	-319.3	-40.0	-1.6
★ 511501	1973	-320.0	-325.3				624353	1999	-295.1	-380.3	-387.6	-92.5	-7.3
511702	1977	-358.4	-458.7	-457.7	-99.3	1.0	624601	1996	-200.4	-214.9	-217.6	-17.2	-2.7
511901	1982	-273.3	-285.6	-285.9	-12.6	-0.3	624602	2001	-327.1	-328.4	-334.0	-6.9	-5.6
512102	1999	-281.7	-282.3	-280.6	1.1	1.7	624801	1977	-77.5	-113.0	-113.1	-35.6	-0.1
							624901	1976	-350.5	-362.3	-363.4	-12.9	-1.1



POTTER COUNTY

OGALLALA AQUIFER 1 - YEAR CHANGE CONTINUED



PGCD SUMNER EDUCATION

PGCD has had fun this summer going to summer reading programs in White Deer and Groom. Through story time, kids get to take an adventure with Drop as she travels through the water cycle and then learn why they should save water, along with ways to conserve their water use in their daily routines. Projects that go along with the story-time are also included!





This summer, we made sponge water balloons and a water cycle wheel to put together and color to continue learning the stages of the water cycle.

If interested in having us come to your story time, contact our office and ask for Payton Holtkamp at 806-883-2501.

Potter County - Ogallala Aquifer						
Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	Data Used to Make Maps
		Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference
625302	2002	-90.0	-92.2	-91.8	-1.8	0.4
625402	2001	-95.9	-97.3	-97.1	-1.2	0.2
625501	1980	-63.9	-86.1	-86.7	-22.8	-0.6
★ 625601	2002	-236.5	-277.0	-261.9	-25.4	15.1
625801	1980	-97.9	-87.3	-88.9	9.0	-1.6
627504	1980	-61.9	-31.7	-31.8	30.1	-0.1
627605	2001	-121.7	-114.0	-114.8	6.9	-0.8
633702	2001	-109.2	-101.1	-101.0	8.2	0.1
★ 635501	1993	-307.6	-342.7	-331.6	-24.0	11.1
635519	2011	-275.5	-295.9	-298.5	-23.0	-2.6
★ 635625	2011	-231.5	-267.0	-279.0	-47.5	-12.0
635904	1977	-219.5	-275.5	-275.9	-56.4	-0.4
635912	2006	-360.0	-364.1	-365.7	-5.7	-1.6
★ 642812	2024					
643301	1965	-414.1	-513.1	-517.0	-102.9	-3.9
643302	1966	-415.1	-505.5	-509.5	-94.4	-4.0
643353	2015	-438.5	-447.3	-448.1	-9.6	-0.8
651601	2001	-196.8	-191.4	-191.5	5.3	-0.1
732302	2002	-52.2	-150.5	-151.9	-99.7	-1.4

WHEELER COUNTY OGALLALA AQUIFER 1 - YEAR CHANGE



Wheeler County - Ogallala Aquifer						
Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	
		Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference
528303	2000	-297.4	-298.7	-298.3	-0.9	0.4
528602	1979	-111.0	-120.2	-120.1	-9.1	0.1
528902	1978	-24.7	-40.7	-46.0	-21.3	-5.3
528906	2003	-167.0	-180.1	-180.2	-13.2	-0.1
529201	1956	-140.2	-141.3	-141.8	-1.6	-0.5
529307	1975	-135.0	-120.7	-121.0	14.0	-0.3
529309	2018	-93.1	-93.1	-93.4	-0.3	-0.3
529314	2018	-66.2	-67.8	-68.2	-2.0	-0.4
529404	2004	-65.4	-68.9	-75.1	-9.7	-6.2
★ 529505	2013	-151.6		-153.2	-1.6	
529609	1999	-57.9	-60.4	-60.8	-2.9	-0.4
529711	1967	-60.0	-73.1	-75.1	-15.1	-2.0
529812	1967	-24.0	-25.8	-26.4	-2.4	-0.6
529817	1979	-73.3	-72.9	-75.0	-1.7	-2.1
529818	1979	-51.2	-60.9	-58.7	-7.5	2.2
529820	1987	-64.0	-80.7	-77.7	-13.7	3.0
530124	2006	-26.3	-29.6	-29.7	-3.4	-0.1

Wheeler County - Ogallala Aquifer						
Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	
		Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference
530304	1982	-90.6	-86.9	-87.1	3.5	-0.2
530501	1953	-97.6	-111.2	-111.3	-13.7	-0.1
530707	1980	-13.8	-14.1	-14.7	-0.9	-0.6
530801	1960	-60.9	-69.8	-69.5	-8.6	0.3
530903	1978	-80.9	-82.1	-81.6	-0.7	0.5
531208	2012	-155.9	-156.1	-157.0	-1.1	-0.9
531308	2019	-55.0	-57.4	-57.0	-2.0	0.4
531405	2000	-11.7	-16.4	-16.6	-4.9	-0.2
531406	1976	-95.0	-83.5	-84.5	10.5	-1.0
531504	1980	-38.6	-35.2	-40.0	-1.4	-4.8
★ 531703	1971	-104.0	-91.2	-100.5	3.5	-9.3
531904	2008	-73.8	-78.5	-78.1	-4.3	0.4
532107	1978	-54.6	-55.4	-57.5	-2.9	-2.1
532352	2003	-98.4	-95.1	-95.0	3.4	0.1
532601	1980	-97.8	-71.2	-73.9	23.9	-2.7
532801	1980	-20.8	-1.5	-1.8	19.0	-0.3
532804	1999	-18.0	-17.9	-17.6	0.4	0.3

WHEELER COUNTY

OGALLALA AQUIFER 1 - YEAR CHANGE CONTINUED

Wheeler County - Ogallala Aquifer							Wheeler County - Ogallala Aquifer						
Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	Data Used to Make Maps	Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	Data Used to Make Maps
		Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference			Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference
532904	2001	-62.4	-65.4	-65.1	-2.7	0.3	539410	2011	-28.9	-30.7	-31.3	-2.4	-0.6
532906	2006	-18.8	-19.2	-19.6	-0.8	-0.4	539504	1986	-62.0	-47.7	-50.6	11.4	-2.9
536301	2001	-121.0	-148.1	-150.7	-29.7	-2.6	539552	2000	-23.6	-34.7	-35.2	-11.6	-0.5
536306	2012	-61.5	-69.6	-69.1	-7.6	0.5	539805	2022	-54.6	-54.9	-54.8	-0.2	0.1
537101	2000	-81.8	-91.2	-92.1	-10.3	-0.9	539905	1977	-35.0	-42.3	-42.2	-7.2	0.1
537102	2001	-52.7	-61.9	-62.3	-9.6	-0.4	540904	2018	-91.7	-91.6	-90.1	1.6	1.5
537311	1980	-24.2	-27.9	-29.5	-5.3	-1.6	544305	1980	-87.4	-89.6	-89.9	-2.5	-0.3
537505	1975	-71.0	-64.6	-64.9	6.1	-0.3	544906	1974	-100.0	-111.7	-113.7	-13.7	-2.0
538101	1956	-1.9	-7.8	-8.0	-6.1	-0.2	544910	2010	-91.5	-96.5	-97.7	-6.2	-1.2
538115	2019	-140.3	-139.8	-142.2	-1.9	-2.4	545103	1979	-8.9	-7.3	-6.9	2.0	0.4
538212	2010	-67.7	-71.4	-70.5	-2.8	0.9	545408	1980	-111.0	-110.9	-112.5	-1.5	-1.6
538253	2002	-92.5	-101.4	-100.8	-8.3	0.6	545505	1979	-109.5	-107.9	-108.5	1.0	-0.6
538312	2014	-60.6	-60.1	-61.7	-1.1	-1.6	545907	1980	-53.0	-50.4	-54.9	-1.9	-4.5
538408	1979	-88.8	-108.4	-113.2	-24.4	-4.8	552307	1980	-79.8	-78.5	-80.9	-1.1	-2.4
538421	2018	-102.5	-102.8	-108.1	-5.6	-5.3	553102	1979	-65.3	-76.0	-76.6	-11.3	-0.6
538511	1977	-28.0	-46.9	-51.2	-23.2	-4.3	553205	2010	-29.5	-31.9	-34.4	-4.9	-2.5
538512	1977	-29.0	-53.6	-59.1	-30.1	-5.5	553302	1999	-16.6	-30.1	-29.3	-12.7	0.8
538610	1978	-69.3	-72.6	-73.7	-4.4	-1.1	553307	2011	-38.5	-41.8	-42.4	-3.9	-0.6
539110	2007	-75.5	-77.3	-81.4	-5.9	-4.1	553404	2000	-7.7	-10.8	-11.9	-4.2	-1.1
539112	2011	-38.3	-41.4	-42.8	-4.5	-1.4	★ 553450	2001	-38.8	-44.4			
539302	1999	-36.3	-49.8	-48.9	-12.6	0.9	553507	2010	-37.9	-41.3	-45.8	-7.9	-4.5
539408	1978	-5.4	-7.2	-5.8	-0.4	1.4							

TEXAS WATER DEVELOPMENT BOARD AGRICULTURE GRANT FUNDS AVAILABLE

PGCD has received grant funds from the Texas Water Development Board (TWDB) to help local producers purchase telemetry systems for their center pivots.



Producers can use a telemetry system of their choice (AgSense, PivoTrac, FieldNET, etc.), these are a great way to replace meters that are approaching the end of their lifespan.

TWDB will provide a 50/50 cost share with producers interested in participating in the program. Due to limited funds, the program will be run on a first come first serve basis.

For more information, please reach out to our Meter Specialist, Jake Robinson at 806-883-2501, jrobinson@pgcd.us.




ARMSTRONG, CARSON, DONLEY, GRAY, POTTER & WHEELER COUNTIES BLAINE AQUIFER 1 - YEAR CHANGE



Armstrong, Carson, Donley, Gray, Potter & Wheeler Counties - Blaine Aquifer						
Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	
		Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference
535702	1974	-21.0	-22.9	-24.1	-3.1	-1.2
535804	2019	-39.6	-39.6	-40.3	-0.7	-0.7
536902	2001	-28.6	-11.3	-11.6	17.0	-0.3
537404	2019	-58.2	-59.3	-60.4	-2.2	-1.1
537650	1999	-7.0	-15.9	-15.2	-8.2	0.7
538615	2006	-39.0	-36.4	-37.5	1.5	-1.1
540201	1999	-7.3	-8.9	-9.8	-2.5	-0.9
540301	1999	-34.7	-38.2	-38.0	-3.3	0.2
540402	2001	-33.0	-37.8	-43.0	-10.0	-5.2
540801	2000	-20.2	-18.8	-17.7	2.5	1.1
540803	2000	-10.4	-6.5	-7.7	2.7	-1.2
540910	2009	-48.8	-48.9	-42.4	6.4	6.5
545305	1979	-74.7	-77.1	-78.2	-3.5	-1.1
546301	1999	-7.5	-20.8	-24.1	-16.6	-3.3
546303	1999	-8.9	-11.3	-12.3	-3.4	-1.0
546503	2001	-34.2	-39.3	-39.5	-5.3	-0.2
546608	1999	-19.5	-47.2	-50.3	-30.8	-3.1

Armstrong, Carson, Donley, Gray, Potter & Wheeler Counties - Blaine Aquifer						
Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	
		Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference
546704	1999	-89.5	-112.4	-114.0	-24.5	-1.6
★ 546709	2024	-74.2		-74.2	0.0	
★ 547110	2024	-8.1		-8.1	0.0	
547203	1956	-25.1	-30.8	-28.3	-3.2	2.5
547207	2022	-72.3	-72.7	-73.1	-0.8	-0.4
547410	1999	-21.1	-25.8	-24.2	-3.1	1.6
547601	2000	-47.3	-54.6	-55.0	-7.7	-0.4
547702	1999	-30.3	-36.6	-38.6	-8.3	-2.0
547850	2002	-88.0	-102.7	-106.5	-18.5	-3.8
548121	2016	-17.9	-22.5	-23.4	-5.5	-0.9
548209	2019	-34.8	-32.8	-36.4	-1.6	-3.6
548502	1999	-31.1	-35.1	-36.3	-5.2	-1.2
552552	2002	-95.6	-101.5	-102.1	-6.5	-0.6
553603	2000	-55.1	-44.7	-45.5	9.6	-0.8
554106	1966	-60.0	-61.9	-62.6	-2.6	-0.7
554307	2002	-40.8	-51.7	-58.5	-17.7	-6.8
554408	2001	-83.5	-88.7	-90.1	-6.6	-1.4


ARMSTRONG, CARSON, DONLEY, GRAY, POTTER & WHEELER COUNTIES BLAINE AQUIFER 1 - YEAR CHANGE



Armstrong, Carson, Donley, Gray, Potter & Wheeler Counties - Blaine Aquifer						
Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	Data Used to Make Maps
		Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference
555403	1999	-74.0	-81.6	-79.5	-5.5	2.1
555605	2000	-80.4	-100.5	-104.3	-23.9	-3.8
556302	2000	-30.6	-10.9	-13.4	17.2	-2.5
556304	2011	-34.6	-36.8	-37.5	-2.9	-0.7
★ 556605	2024	-39.6		-39.6	0.0	
558403	1999	-177.0	-131.8	-133.1	43.9	-1.3
559403	1977	-73.0	-80.1	-81.9	-8.9	-1.8
559903	1992	-116.0	-105.7	-107.5	8.5	-1.8
560850	2001	-118.1	-103.8	-107.3	10.8	-3.5
626101	2002	-30.4	-32.6	-32.3	-1.9	0.3
626201	2002	-107.0	-132.3	-138.8	-31.8	-6.5
626701	2002	-36.9	-42.3	-42.8	-5.9	-0.5
626802	2002	-44.2	-45.2	-52.0	-7.8	-6.8
626803	2002	-32.7	-42.3	-41.6	-8.9	0.7
627401	1973	-113.4	-119.8	-119.6	-6.2	0.2
★ 633703	2024	-14.0		-14.0	0.0	
641104	2002	-138.7	-140.0	-139.9	-1.2	0.1

Armstrong, Carson, Donley, Gray, Potter & Wheeler Counties - Blaine Aquifer						
Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	Data Used to Make Maps
		Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference
1113301	2023	-218.8	-218.8	-214.9	3.9	3.9
1113501	2022	-38.7	-39.7	-36.5	2.2	3.2
1115202	2022	-161.1	-171.9	-169.3	-8.2	2.6
1115603	2022	-119.7	-129.7	-125.3	-5.6	4.4
1116401	2001	-72.1	-68.3	-70.2	1.9	-1.9
1116550	2001	-121.4	-122.9	-120.6	0.8	2.3
1116551	2001	-131.9	-124.4	-127.9	4.0	-3.5
1116650	2001	-5.5	-12.9	-10.3	-4.8	2.6
1116801	2001	-46.5	-51.5	-53.0	-6.5	-1.5
1204527	2019	-30.2	-33.0	-32.8	-2.6	0.2
1209907	2008	-32.3	-30.5	-32.6	-0.3	-2.1
★ 1209909	2001	-50.5	-155.1			
1210750	2003	-70.4	-55.6	-51.7	18.7	3.9
1210802	2001	-93.4	-122.3	-126.6	-33.2	-4.3
1211553	2001	-22.3	-25.9	-24.4	-2.1	1.5
1212425	2009	-29.8	-40.9	-42.0	-12.2	-1.1
1212819	2011	-27.6	-35.7	-35.8	-8.2	-0.1

ARMSTRONG, CARSON & POTTER COUNTIES DOCKUM AQUIFER 1 - YEAR CHANGE



Armstrong, Carson & Potter Counties - Dockum Aquifer							Armstrong, Carson & Potter Counties - Dockum Aquifer						
Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	Data Used to Make Maps	Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	Data Used to Make Maps
		Initial Depth	2023	2024					Initial Depth	2023	2024		
625201	2002	-211.0	-185.3	-185.9	25.1	-0.6	641931	2003	-57.1	-68.7	-71.1	-14.0	-2.4
625701	2002	-153.2	-155.7	-156.0	-2.8	-0.3	642405	2008	-142.4	-154.3	-154.8	-12.4	-0.5
★ 627904	2024	-157.8		-157.8	0.0		642409	2003	-64.2	-75.7	-72.2	-8.0	3.5
633201	2002	-84.5	-85.9	-86.0	-1.5	-0.1	642427	2013	-159.9	-156.3	-158.3	1.6	-2.0
633301	2001	-61.2	-65.1	-62.2	-1.0	2.9	642502	2001	-83.6	-86.4	-83.1	0.5	3.3
633401	2001	-63.4	-67.1	-62.1	1.3	5.0	642703	2003	-90.8	-102.9	-104.8	-14.0	-1.9
634105	2022	-25.1	-23.3	-23.0	2.1	0.3	642714	2003	-77.5	-86.5	-88.1	-10.6	-1.6
634501	2022	-124.9	-126.1	-125.7	-0.8	0.4	642719	2003	-126.2	-131.2	-136.1	-9.9	-4.9
634714	2023	-136.7	-136.7	-139.2	-2.5	-2.5	642902	1986	-220.3	-224.4	-222.0	-1.7	2.4
635206	2011	-223.9	-233.5	-234.1	-10.2	-0.6	643421	2005	-179.6	-179.4	-178.8	0.8	0.6
635301	1993	-293.8	-329.1	-332.4	-38.6	-3.3	643602	2001	-320.3	-315.5	-315.3	5.0	0.2
635801	1981	-94.7	-133.2	-135.5	-40.8	-2.3	643606	2004	-278.8	-262.9	-263.0	15.8	-0.1
641102	2001	-102.7	-98.4	-97.4	5.3	1.0	643901	2001	-217.0	-201.1	-201.0	16.0	0.1
641310	2001	-37.2	-35.0	-37.4	-0.2	-2.4	644608	1980	-369.9	-480.5	-481.3	-111.4	-0.8
641613	1980	-92.4	-108.0	-109.5	-17.1	-1.5	644763	2000	-233.1	-232.1	-232.7	0.4	-0.6
641703	2001	-305.2	-296.5	-298.0	7.2	-1.5	644766	2000	-226.2	-225.1	-225.6	0.6	-0.5
641802	2001	-85.6	-93.9	-97.0	-11.4	-3.1	644767	2001	-264.7	-256.9	-256.7	8.0	0.2
641856	2014	-142.9	-132.3	-137.5	5.4	-5.2	644768	2002	-272.9	-261.8	-261.2	11.7	0.6

ARMSTRONG, CARSON & POTTER COUNTIES

DOCKUM AQUIFER 1 - YEAR CHANGE CONTINUED

Armstrong, Carson & Potter Counties - Dockum Aquifer							Armstrong, Carson & Potter Counties - Dockum Aquifer						
Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	Data Used to Make Maps	Well Number	First Reading Year	Depth to Water, in feet			Water Level Difference	Data Used to Make Maps
		Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference			Initial Depth	2023	2024	Initial To Current Difference	1 Year Difference
644906	2001	-348.9	-350.6	-350.5	-1.6	0.1	732501	2001	-60.2	-61.3	-61.4	-1.2	-0.1
644959	2000	-221.5	-219.3	-219.5	2.0	-0.2	732602	2002	-41.6	-39.8	-40.6	1.0	-0.8
645903	1999	-367.2	-419.2	-415.8	-48.6	3.4	★ 732701	2002	-28.0	-43.7	-32.0	-4.0	11.7
649203	2004	-112.0	-111.8	-114.2	-2.2	-2.4	732801	2002	-132.5	-134.5	-134.7	-2.2	-0.2
★ 649241	2024	-148.0		-148.0	0.0		732901	2002	-171.1	-172.6	-172.8	-1.7	-0.2
649311	2001	-51.5	-53.3	-53.8	-2.3	-0.5	739303	2015	-98.5	-100.0	-100.5	-2.0	-0.5
★ 650308	2024	-186.5		-186.5	0.0		★ 739601	2024	-197.0		-197.0	0.0	
650604	2001	-208.5	-194.2	-193.7	14.8	0.5	740102	2002	-25.6	-26.8	-27.5	-1.9	-0.7
651102	2001	-177.9	-167.0	-166.9	11.0	0.1	★ 740301	2002	-164.8	-167.3			
651301	2002	-210.9	-206.2	-206.5	4.4	-0.3	740402	2001	-84.1	-86.3	-85.4	-1.3	0.9
652301	1956	-192.7	-198.7	-198.9	-6.2	-0.2	740403	2002	-59.7	-59.4	-59.5	0.2	-0.1
652501	1958	-188.4	-201.4	-201.3	-12.9	0.1	740503	2001	-30.4	-31.7	-31.4	-1.0	0.3
652508	1982	-200.7	-201.6	-201.7	-1.0	-0.1	740504	2002	-26.0	-27.4	-27.8	-1.8	-0.4
652704	2006	-170.9	-179.9	-181.4	-10.5	-1.5	740601	2002	-70.6	-74.9	-76.5	-5.9	-1.6
★ 652906	1966	-106.0	-128.2				740901	2002	-132.0	-139.5	-134.3	-2.3	5.2
★ 652924	2024						747601	2002	-40.1	-40.1	-39.3	0.8	0.8
★ 653401	2014	-166.1					747602	2002	-96.2	-77.9	-77.9	18.3	0.0
653403	1975	-187.2	-179.3	-178.8	8.4	0.5	747901	2002	-115.1	-114.2	-109.2	5.9	5.0
653703	1966	-191.0	-178.5	-178.0	13.0	0.5	748101	2002	-113.1	-135.3	-135.9	-22.8	-0.6
★ 653909	2024	-170.0		-170.0	0.0		748103	2002	-42.4	-41.2	-41.0	1.4	0.2
654111	2012	-344.0	-342.9	-343.2	0.8	-0.3	748202	2002	-11.9	-6.9	-7.2	4.7	-0.3
654701	1975	-260.3	-250.7	-250.9	9.4	-0.2	748301	2002	-78.0	-68.3	-62.6	15.4	5.7
654812	2015	-255.9	-254.8	-254.8	1.1	0.0	748401	2002	-42.2	-53.6	-53.3	-11.1	0.3
660106	1993	-214.4	-209.0	-208.7	5.7	0.3	748402	2002	-25.0	-24.6	-24.9	0.1	-0.3
660202	1992	-163.1	-162.4	-162.6	0.5	-0.2	748501	2001	-44.0	-42.0	-39.9	4.1	2.1
660205	2005	-163.1	-163.8	-164.1	-1.0	-0.3	748601	2002	-142.5	-143.5	-143.3	-0.8	0.2
660502	1993	-154.5	-152.3	-151.8	2.7	0.5	748701	2002	-82.8	-83.1	-83.2	-0.4	-0.1
★ 660504	2018	-186.8		-189.0	-2.2		748702	2002	-42.2	-50.5	-52.0	-9.8	-1.5
660704	2015	-191.0	-189.7	-190.5	0.5	-0.8	748801	2001	-40.2	-44.6	-45.0	-4.8	-0.4
★ 660902	1969	-180.0					748901	2001	-96.0	-78.5	-83.8	12.2	-5.3
★ 661411	2024	-147.6		-147.6	0.0		1104101	1975	-197.8	-202.9	-202.7	-4.9	0.2
661601	1975	-170.7	-173.2	-174.2	-3.5	-1.0	1104301	1981	-317.4	-300.4	-300.1	17.3	0.3
661608	1976	-165.8	-165.5	-166.9	-1.1	-1.4	1105104	2004	-174.6	-174.1	-174.2	0.4	-0.1
★ 661702	2024	-193.6		-193.6	0.0		1105301	1980	-162.7	-158.4	-158.8	3.9	-0.4
661802	1980	-162.5	-156.2	-158.4	4.1	-2.2	1105404	2017	-227.8	-233.0	-241.4	-13.6	-8.4
662101	1956	-170.0	-201.8	-202.2	-32.2	-0.4	1106101	1975	-179.6	-173.0	-173.1	6.5	-0.1
662402	1999	-146.1	-153.3	-153.9	-7.8	-0.6	1106201	1976	-162.7	-160.4	-160.4	2.3	0.0
731602	2002	-191.7	-146.3	-149.4	42.3	-3.1	1106503	2022	-173.6	-173.0	-173.0	0.6	0.0
731903	2002	-20.8	-25.7	-25.2	-4.4	0.5	1106803	2017	-233.8	-241.8	-239.1	-5.3	2.7
★ 732101	2024	-152.0		-152.0	0.0		1106907	2022	-113.7	-116.2	-115.8	-2.1	0.4
★ 732201	2002	-160.1	-166.3	-181.8	-21.7	-15.5	★ 1106908	2024	-160.9		-160.9	0.0	
732202	2002	-65.5	-70.0	-65.6	-0.1	4.4	★ 1107152	2022	-285.5	-270.0	-287.5	-2.0	-17.5
732401	2002	-28.4	-30.8	-29.8	-1.4	1.0	1107401	1976	-122.8	-123.3	-125.4	-2.6	-2.1
732402	2002	-17.5	-16.8	-17.1	0.4	-0.3	1107750	2005	-120.0	-121.0	-120.6	-0.6	0.4



PANHANDLE GROUNDWATER
CONSERVATION DISTRICT

Inside This Issue

2024 Scholarship Winners

Water Level Measurements

Rainfall Measurements

PANHANDLE GROUNDWATER
CONSERVATION DISTRICT
P.O. BOX 637
WHITE DEER, TEXAS 79097

RETURN SERVICE REQUESTED

PRESORTED
STANDARD
US POSTAGE
PAID
AMARILLO, TX
PERMIT NO. 227

FOLLOW US ON



Panhandle Groundwater
Conservation District



@PANHANDLE_GCD

TO STAY CONNECTED



PANHANDLE GROUNDWATER
CONSERVATION DISTRICT

DISTRICT OFFICE

201. W. Third St, PO Box 637
White Deer, TX 79097
Phone: 806-883-2501
Fax: 806-883-2162
Website: www.pgcd.us

BOARD OF DIRECTORS

Chancy Cruse, President
Devin Sinclair, Vice President
Lee Peterson, Secretary
Charles Bowers, Director
David Hodges, Director
John R. Spearman, Jr., Director
Bill Breeding, Director
Marcus Hardcastle, Director
Wes Stockett, Director

Britney Britten, General Manager

Panhandle Water News is published quarterly.
Subscriptions are free, upon request.

PGCD UPCOMING EVENTS

- **August 6:** Board of Directors Meeting